
Magnetic Head Having Thermally Assisted Write Head with Encapsulated Heater Element, and Method of Fabrication Thereof S/N 10/631,885 Atty. Docket #HSJ920030050US1











Fig. 2 (PRIOR ART)

PE JOIG WELL

Magnetic Head Having Thermally Assisted Write Head with Encapsulated Heater Element, and Method of Fabrication Thereof S/N 10/631,885
Atty. Docket #HSJ920030050US1











PE JOINT

Magnetic Head Having Thermally Assisted Write Head with Encapsulated Heater Element, and Method of Fabrication Thereof S/N 10/631,885 Atty. Docket #HSJ920030050US1














Magnetic Head Having Thermally Assisted Write Head with Encapsulated Heater Element, and Method of Fabrication Thereof S/N 10/631,885 Atty. Docket #HSJ920030050US1








Magnetic Head Having Thermally Assisted Write Head with Encapsulated Heater Element, and Method of Fabrication Thereof S/N 10/631,885 Atty. Docket #HSJ920030050US1





NOV 1 2 2003 W

Fontaña et af.
Magnetic Head Having Thermally Assisted Write
Head with Encapsulated Heater Element, and
Method of Fabrication Thereof
S/N 10/631,885
Atty. Docket #HSJ920030050US1

